

LCD MODULE YTS700TLAT-02-100C

<b>PRODUCT</b>	:	LCD MODULE
MODEL NO	:	YTS700TLAT-02-100C
SUPPLIER	:	Yes Optoelectronics Co.,Ltd
DATE	:	Jun.27.2019

# **SPECIFICATION**

Prepared by	Checked	Approved
LIANGYUEYAO	WANGSUYAN	XIAOYU

CUSTOMER:

MODEL NO.:

DATE:

Prepared by	Checked	Approved

ADD: No.288Yueling Road Anshan, Liaoning, CHINA TEL: 86-412-5211859 FAX: 86-412-5211729 P.C.:114045 E-mail : <u>yes@yes-lcd.com</u>, <u>yeslcd@globalsources.com</u> Web: <u>http://www.yes-lcd.com</u> <u>http://www.asiansources.com/sante.com</u>



# CONTENTS

1.General Specifications	4
2.Mechanical Drawing	5
3.PIN Assignment	6
4.Absolute Maximum Rating	7
5.Electrical Characteristics	7
5.1.Recommended Operating Condition	7
6. Optical Characteristics	8
7.Environmental/Reliability Test	11
8.Packing Drawing	
9. Standard Specifications For Product Quality	
10.Precautions for Use of LCD Modules	17
11.Prior Consult Matter	
12.Factory	



# **Revision Record**

Rev No.	Rev Date	Contents	Page
1.0	2019.06.27	New creation	All



# **1. General Specifications**

No	Item	Contents	Unit
1	Size	7	inch
2	Resolution	1024RGB*600	
3	Interface	HDMI	
4	Color Depth	16.7	М
5	Technology Type	a-Si TFT	
6	Pixel pitch		mm
7	Pixel Arrangement	RGB-stripe	
8	Display Mode	Transmissive, IPS, NB	
9	Viewing Direction	FREE	
10	LCM (W x H x D)	181.08*112.92*9.275	mm
11	Active Area (W x H)	154.21*85.92	mm
12	With/Without TSP	With CTP	


# Touch panel parameter

No	Features	Details	Note
1	CTP Technology	Mutual capacitor	
2	Input Method	Finger	
3	Touch point	5Point	
4	Positional Accuracy	2.5mm at 4 edges and 1.5mm at center	Unit: mm
5	Cover glass	Sodalime glass, chemically hardened	
6	Hardness	6Н	
7	Surface treatment	NO	
8	Optical transmittance	87%	
9	Touch controller	ST1633i	
10	Interface to Host	I <sup>2</sup> C	
11	I <sup>2</sup> C Address	0X55	
12	Connection Type	ZIF Connector	



YTS700TLAT-02-100C

# 2. Mechanical Drawing





# 3. PIN Assignment

#### **CON1: HDMI**

Pin No	Symbol			
1	TX2+			
2	GND			
3	TX2-			
4	TX1+			
5	GND			
6	TX1-			
7	TX0+			
8	GND			
9	TX0-			
10	TXC+			
11	GND			
12	TXC-			
13	NC			
14	NC			
15	DDCLK			
16	DDAT			
17	GND			
18	VDD(+5V)			
19	HOTPLUS			

#### CON2: USB GL55S03G00TLR-Y-2.0

Pin No	Symbol
1	+5V
2	U-
3	U+
4	NC
5	GND

#### CON3: USB DC\_JACK-5V, Φ3.5

Pin No	Symbol
1	GND
2	VIN



# 4. Absolute Maximum Rating

#### AGND = GND = 0V, Ta = $25^{\circ}$ C

Item	Symbol	Min	Max	Unit	Remark
Operating Temperature	T <sub>OPR</sub>	-20	60	°C	
Storage Temperature	T <sub>STG</sub>	-30	80	°C	

The absolute maximum rating values of this product are not allowed to be exceeded at any times. Should a module be used with any of the absolute maximum ratings exceeded, the characteristics of the module may not be recovered, or in an extreme case, the module may be permanently destroyed.

## 5. Electrical Characteristics

#### 5.1. Recommended Operating Condition

AGND = GND = 0V,  $Ta = 25^{\circ} C$ 

Item	Min	Тур.	Max	Unit	Remark
Power Voltage		5		V	



# 6. Optical Characteristics

Item	Symbol	Condition	Min	Тур	Max	Unit	Remark
	θΤ			85			
X7. A 1	θΒ	CD > 10		85		D	
View Angles	θΓ	CR≥10		85		Degree	Note 2
	θR			85			
Contrast Ratio	CR	$\theta = 0^{\circ}$		800			Note 1
Contrast Ratio	CK	0 -0		800			Note 3
Dognongo Timo	T <sub>ON</sub>	25° C		30 40	40	ms	Note 1
Response Time	T <sub>OFF</sub>	23 C	-		40		Note 4
Chromoticity	x X			0.308			Note 1
Chromaticity W	y y			0.336			Note 5
Uniformity	U		75	80		%	Note 5
Luminance	L		600	750		cd/m <sup>2</sup>	Note 1
Lummance	L		000	/30		cu/m	Note 5


Test Conditions:

- 1. The operating voltage is 5V, the ambient temperature is  $25^{\circ}$  C.
- 2. The test systems refer to Note 2.




Note1: Definition of optical measurement system.

The optical characteristics should be measured in dark room. After 5Minutes operation, the optical properties are measured at the center point of the LCD screen. ALL input terminals LCD panel must be ground when measuring the center area of the panel.



Item	Photo detector	Field
Contrast Ratio	GG1000	
Luminance	CS1000	1°
Lum Uniformity		
Chromaticity	CS1000	
Response Time	DMS703	
		-

Note2: Definition of viewing angle range and measurement system. Viewing angle is measured at the center point of the LCD by CONOSCOPE (DMS703)





Note3: Definition of contrast ratio


"White state ": The state is that the LCD should drive by Vwhite.

"Black state ": The state is that the LCD should drive by Vblack.

Vwhite: To be determinedVblack: To be determined

Note4:Definition of Response time

The response time is defined as the LCD optical switching time interval between "White" state and "Black" state. Rise time  $(T_{ON})$  is the time between photo detector output intensity changed from 90% to 10%. And fall time  $(T_{OFF})$  is the time between photo detector output intensity changed from 10% to 90%.



Note5:Definition of color chromaticity (CIE1931)


Color coordinates measured at center point of LCD.

Note6: Definition of Luminance Uniformity

Active area is divided into 9 measuring areas(Refer Fig.2).Every measuring point is placed at the center of each measuring area.

Luminance Uniformity (U)=Lmin/Lmax

L-----Active area length W-----Active area width



L max: The measured Maximum luminance of all measurement position.

L min: The measured Minimum luminance of all measurement position.

Note7: Definition of luminance: Measure the luminance of white state at center point.



## 7. Environmental/Reliability Test

No.	Test Item	Test Condition	Inspection after test
1	High Temperature Storage	80=±2°C/240 hours	
2	Low Temperature Storage	-30±2°C/240 hours	Inspection after
3	High Temperature Operating	60 <b></b> ±2°C/240 hours	2~4hours storage at room temperature, the
4	Low Temperature Operating	-20=±2℃/240 hours	sample shall be free from defects:
5	Temperature Cycle	-30°C~25°C~80°C × 10cycles (30min.) (5min.) (30min.)	<ol> <li>Air bubble in the LCD;</li> <li>Sealleak;</li> <li>Non-display;</li> </ol>
6	Damp Proof Test	$60^{\circ}C \pm 5^{\circ}C \times 90\%$ RH/120 hours	4.missing segments;
7	Vibration Test	Frequency: 10Hz~55Hz~10Hz Amplitude: 1.5mm, X, Y, Z direction for total 3hours (Packing condition)	<ul><li>5.Glass crack;</li><li>6.Current Idd is twice higher than initial value.</li></ul>
8	Dropping test	Drop to the ground from 1m height, one time, every side of carton. (Packing condition)	
9	ESD	Voltage:±8KV R: 330Ω C: 150pF Air discharge, 10time Voltage:±6KV R: 330Ω	
		C: 150pF Contact discharge, 10time	

Remark:

1. The test samples should be applied to only one test item.

2.Sample size for each test item is 5~10pcs.

3.For Damp Proof Test, Pure water(Resistance>10M $\Omega$ ) should be used.

4.In case of malfunction defect caused by ESD damage, if it would be recovered to normal state after resetting, it would be judge as a good part.

5.Failure Judgment Criterion: Basic Specification, Electrical Characteristic, Mechanical Characteristic, Optical Characteristic.

6.Please use automatic switch menu(or roll menu) testing mode when test operating mode.



LCD MODULE YTS

YTS700TLAT-02-100C

# 8. Packing Drawing



Π

# **9. Standard Specifications For Product Quality**

# 9.1. Manner of test:

10.1.1 The test must be under 40W fluorescent light, and the distance of view must be at  $30\pm10$  cm.


10.1.2 Room temperature  $25\pm5^{\circ}$ C Humidity:  $(60\pm10)^{\circ}$ RH.

# 9.2. Quality specification


It shall be based on GB2828-87, inspection level II .

	IETM	CHECK L	EVEL AQL
	l.Liquid crystal leakage		
	2. Wrong polarizer		
MAJOR	3.Outside dimension	II	0.25
(MA)	4. Bright dot Dark dot	11	0.23
	5. Display abnormal		
	6. Class crack		
	1. Spot Defect (Including black spot, white spot,		
	pinhole, foreign particle, bubbles, hurt)		
	2. fragment		
MINOR	3. Line Defect (Including black line, white line,	II	1.0
(MI)	cratch)	11	1.0
	4. Incision defect		
	5. Newton's ring		
	6. Other visual defects		

#### 9.3. Definition of area:



II area: outside viewing area



### 9.4. Standard of appearance test for I area: (unit: mm)

NOTE: Defect ignore for II area.



## 9.4.1 Bright/Dark Dots explain

Name	Explain	Definition
Bright dot	Dots appear bright and unchanged in size in which LCD panel is displaying under black pattern	The definition of dot: The size of a defective dot over 1/2 of single
Dark dot	Dots appear dark and unchanged in size in which LCD panel is displaying under pure red, green, blue pattern.	pixel dot is regarded as one defective dot . NOTE: One pixel consists of 3 sub-pixels, including R,G, and B dot.(Sub-pixel = Dot)
ADJACE NT DOT	Adjacent two sub-pixel are defect (define two dot defect)	

# 9.4.2 Inspection standard

Nº	Items		Criterion	Checking Manner	Defect Classes
		Under 6" (contain 6")	Bright dot: 2 Dark dot: N≤4 <b>Note:</b> be more than 5mm apart		
1	Bright/dark dot	6"-12"	Bright dot: N≤4 Dark dot: N≤5 Total Bright and Dark Dots: N≤8 <b>Note :</b> 1.Two bright dot defects (red, green, blue, and white) should be larger than 15mm; 2.The distance between black dot defects or black and bright dot defects should be more than 5mm apart.	Checking with eyes	MAJ
	Spot Defect (Including black spot.white spot. Pinhole.foreign	Under 6" (contain 6")	D≤0.1 Ignore 0.1 <d≤0.35 n≤3<br="">0.35<d n="0&lt;/td"><td></td><td></td></d></d≤0.35>		
2 <sup>p</sup> u	particle.bubbles.h urt) X D=(X+Y)/2	6"-12"	D≤0.3 Ignore 0.3 <d≤0.6 n≤4<br="">0.6<d n="0&lt;/td"><td>Checking with eyes</td><td>MIN</td></d></d≤0.6>	Checking with eyes	MIN



Nº	Items		Criterion	Checking manner	Defect classes
	Line Defect (Including black Line.white line. scratch)	Under 6" (contain 6")	$\begin{array}{cccccc} W {\leq} 0.02 & Ignore \\ 0.02 {<} W {\leq} 0.04 & L {\leq} 5 & N {\leq} 2 \\ 0.04 {<} W {\leq} 0.06 & L {\leq} 5 & N {\leq} 1 \\ W {>} 0.06 & N {=} 0 \end{array}$	Checking	
3		6"-12"	W≤0.07 Ignore 0.07 <w≤0.1 l≤10="" n≤4<br="">W&gt;0.1 N=0</w≤0.1>	with eyes	MIN
4	Display abnormal	Not allowed		Checking with eyes	MAJ
5	Outside dimension	Accord with dra	wing	Callipers	MAJ
6	Class crack	Not allowed		Checking with eyes	MAJ
7	Leak	Not allowed		Checking with eyes	MAJ
8	Comer fragment	X≤3 Y≤3 Z≤ Note : 1.No hurt identif 2.T: Glass thic thickness	Checking with eyes	MIN	
	Side fragment	Y $\leq 1$ Z $\leq T$ I Note : 1.No hurt identif 2.T: Glass thic thickness	Checking with eyes	MIN	
9	Step fragment	$Y \le 1$ and $Y \le 1/4$ L		Checking with eyes	MIN
	Incision defect	Y≤1 and accord	with outside dimension	Checking with eyes	MIN



LCD MODULE

E YTS700TLAT-02-100C

Version : 1.0 Jun.27.2019

Nº	Items		Criterion	Checking manner	Defect classes
	Newton's ring (CTP or Cover board)	Indor 6"	$0 \le 25$ N $\le 3$ 0 > 25 N $= 0$		
10	$\sum_{D=(X+Y)/2}^{X} Y$	h"-12"	$0 \le 70$ N $\le 5$ 0 > 70 N $= 0$	Checking with eyes	MIN



# **10. Precautions for Use of LCD Modules**

#### **10.1 Handing Precautions**

(1) The display panel is made of glass and polarizer. As glass is fragile. It tends to become or chipped during handling especially on the edges. Please avoid dropping or jarring. Do not subject it to a mechanical shock by dropping it or impact.

(2) If the display panel is damaged and the liquid crystal substance leaks out, be sure not to get any in your mouth. If the substance contacts your skin or clothes, wash it off using soap and water.

(3) Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary. Do not touch the display with bare hands. This will stain the display area and degraded insulation between terminals (some cosmetics are determined to the polarizer).

(4) The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully. Do not touch, push or rub the exposed polarizers with anything harder than an HB pencil lead (glass,tweezers, etc.). Do not put or attach anything on the display area to avoid leaving marks on. Condensation on the surface and contact with terminals due to cold will damage, stain or dirty the polarizer. After products are tested at low temperature they must be warmed up in a container before coming is contacting with room temperature air.

(5) If the display surface becomes contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If it is heavily contaminated, moisten cloth with one of the following solvents

- Isopropyl alcohol

- Ethyl alcohol

Do not scrub hard to avoid damaging the display surface.

(6) Solvents other than those above-mentioned may damage the polarizer. Especially, do not use the following.

- Water

- Ketone

- Aromatic solvents

Wipe off saliva or water drops immediately, contact with water over a long period of time may cause deformation or color fading. Avoid contacting oil and fats.

(7) Exercise care to minimize corrosion of the electrode. Corrosion of the electrodes is accelerated by water droplets, moisture condensation or a current flow in a high-humidity environment.

(8) Install the LCD Module by using the mounting holes. When mounting the LCD module make sure it is free of twisting, warping and distortion. In particular, do not forcibly pull or bend the I O cable or the backlight cable.

(9) Do not attempt to disassemble or process the LCD module.

(10) NC terminal should be open. Do not connect anything.

(11) If the logic circuit power is off, do not apply the input signals.

(12) Electro-Static Discharge Control, Since this module uses a CMOS LSI, the same careful attention should be paid to electrostatic discharge as for an ordinary

CMOS IC. To prevent destruction of the elements by static electricity, be careful to maintain an optimum work environment.

- Before remove LCM from its packing case or incorporating it into a set, be sure the module and your body have the same electric potential.Be sure to ground the body when handling the LCD modules.

- Tools required for assembling, such as soldering irons, must be properly grounded. make certain the AC power source for the soldering iron does not leak. When using an electric screwdriver to attach LCM, the screwdriver should be of ground potentiality to minimize as much as possible any transmission of electromagnetic waves produced sparks coming from the commutator of the motor.

- To reduce the amount of static electricity generated, do not conduct assembling and other work under dry conditions. To reduce the generation of static electricity be careful that the air in the work is not too dried. A relative humidity of 50%-60% is recommended. As far as possible make the electric potential of your work clothes and that of the work bench the ground potential.

The LCD module is coated with a film to protect the display surface. Exercise care when peeling off this protective film since static electricity may be generated.

(13)Since LCM has been assembled and adjusted with a high degree of precision, avoid applying excessive shocks to the module or making any alterations or modifications to it.

- Do not alter, modify or change the shape of the tab on the metal frame.
- Do not make extra holes on the printed circuit board, modify its shape or change the positions of components to be attached.
- Do not damage or modify the pattern writing on the printed circuit board.
- Absolutely do not modify the zebra rubber strip (conductive rubber) or heat seal connector.
- Except for soldering the interface, do not make any alterations or modifications with a soldering iron.
- Do not drop, bend or twist LCM.

#### **10.2 Storage Precautions**

When storing the LCD modules, the following precaution is necessary.

(1) Store them in a sealed polyethylene bag. If properly sealed, there is no need for the dessicant.

(2) Store them in a dark place. Do not expose to sunlight or fluorescent light, keep the temperature between 0°C and 35°C.

(3) The polarizer surface should not come in contact with any other objects. (We

advise you to store them in the container in which they were shipped).

#### 10.3 Others

Liquid crystals solidify under low temperature (below the storage temperature range) leading to defective orientation or the generation of air bubbles (black or white). Air bubbles may also be generated if the module is subject to a low temperature.

If the LCD modules have been operating for a long time showing the same display patterns, the display patterns may remain on the screen as ghost images and a slight contrast irregularity may also appear. A normal operating status can



be regained by suspending use for some time. It should be noted that this phenomenon does not adversely affect performance reliability.

To minimize the performance degradation of the LCD modules resulting from destruction caused by static electricity etc., exercise care to avoid holding the following sections when handling the modules.


- Exposed area of the printed circuit board.

-Terminal electrode sections.

#### 10.4 USING LCD MODULES Installing LCD Modules

The hole in the printed circuit board is used to fix LCM as shown in the picture below. Attend to the following items when installing the LCM.


(1) Cover the surface with a transparent protective plate to protect the polarizer and LC cell.



(2) When assembling the LCM into other equipment, the spacer to the bit between the LCM and the fitting plate should have enough height to avoid causing stress to the module surface, refer to the individual specifications for measurements. The measurement tolerance should be  $\pm 0.1$ mm.

#### Precaution for assemble the module with BTB connector:

Please note the position of the male and female connector position, don't assemble or assemble like the method which the following picture shows



#### Precaution for soldering to the LCM

	Hand soldering	Machine drag	Machine press soldering
No ROHS	290°C~350°C.	330°C ~350°C.	300°C~330C.
Product	Time : 3-5S.	Speed : 4-8mm/s.	Time : 3-6S.
			Press: 0.8~1.2Mpa



ROHS	340°C~370°C.		330°C~360C.
Product	Time : 3-5S.	Time : 4-8 mm/s.	Time : 3-6S.
			Press: 0.8~1.2Mpa

(1)If soldering flux is used, be sure to remove any remaining flux after finishing to soldering operation. (This does not apply in the case of a nonhalogen type of flux.) It is recommended that you protect the LCD surface with a cover during soldering to prevent any damage due to flux spatters.

(2) When soldering the electroluminescent panel and PC board, the panel and board should not be detached more than three times. This maximum number is determined by the temperature and time conditions mentioned above, though there may be some variance depending on the temperature of the soldering iron.

(3) When remove the electroluminescent panel from the PC board, be sure the solder has completely melted, the soldered pad on the PC board could be damaged.

#### Precautions for Operation

(1) It is an indispensable condition to drive LCD's within the specified voltage limit since the higher voltage then the limit cause the shorter LCD life.An electrochemical reaction due to direct current causes LCD's undesirable deterioration, so that the use of direct current drive should be avoided.

(2) Response time will be extremely delayed at lower temperature than the operating temperature range and on the other hand at higher temperature LCD's show dark color in them. However those phenomena do not mean malfunction or out of order with LCD's, Which will come back in the specified operating temperature.

(3) If the display area is pushed hard during operation, the display will become abnormal. However, it will return to normal if it is turned off and then back on.

(4) A slight dew depositing on terminals is a cause for electro-chemical reaction resulting in terminal open circuit. Usage under the maximum operating temperature,50%RH or less is required.

(5) Input each signal after the positive/negative voltage becomes stable.

(6) Please keep the temperature within specified range for use and storage. Polarization degradation, bubble generation or polarizer peel-off may occur with high temperature and high humidity.

#### Safety

(1) It is recommended to crush damaged or unnecessary LCDs into pieces and wash them off with solvents such as acetone and ethanol, which should later be burned.

(2) If any liquid leaks out of a damaged glass cell and comes in contact with the hands, wash off thoroughly with soap and water.

(3) WEEE order must be executed in product scrap.

## **11. Prior Consult Matter**

1. TFor YES standard products, we keep the right to change material, process ... for improving the product property without notice on our customer.

<sup>(2)</sup>For OEM products, if any change needed which may affect the product property, we will consult with our customer in advance.

2.If you have special requirement about reliability condition, please let us know before you start the test on our samples.



# **12.** Factory

FACTORY NAME: YES OPTOELECTRONICS CO.,LTD FACTORY ADDRESS: No.288Yueling Road Anshan, Liaoning, P.R.CHINA FACTORY PHONE: 86-412-5211859 FAX: 86-412-5211729